



- 11,000lb Base Capacity
- 3 Stage Mast
- Full Free Lift
- 91" Lowered Mast Height
- 189" Max Raised Fork Height
- Premium Air Pneumatic tires
- EPA Tier 4 Final Cummins engine QSF2.8L Turbo Diesel Engine
- Engine Features 3cyl 65 HP and 200 ft/lb TQ
- Backup Alarm
- Rear View Mirrors
- LED Front and Rear Lights
- Integrated LED Turn Signals
- Tilt Steering Column
- Digital Systems Monitor Display
- Rubber Floor mat
- Load Backrest
- 3 Way Hydraulics Plumbed to Carriage
- 48" Forks
- 12mo/2000hr Manufacturer Warranty
- 1 Year/2000hr Cummins Engine Warranty

## 2024 **FORE TYPE BASE CAPACITY**

BASE CAPACITY CAPACITY 24" LC @189"

SERVICE WEIGHT

**TIRE SIZE (FRONT)** 

**TIRE SIZE (REAR)** 

WHEELBASE

MAST TILT ANGLE (F/R)

LIFT HEIGHT (3 STAGE)

LOWERED HEIGHT

FREE LIFT

LENGTH (LESS FORKS)

WIDTH

**HEIGHT TO OVERHEAD GUARD** 

**TURNING RADIUS** 

**GROUND CLEARANCE** 

**MAX GRADABILITY** 

TRANSMISSION

TRANSMISSION SPEEDS



RASA=15+8+b+a

XHB/

RASA:Right-Angle Stack Aisle a:Safety Clearance

b:Length of Loading v:Turning radius(inside) 22 10

15

12

**8100 LBS** 

16530 LBS

300-15-18 PR

7.00-12-12 PR

83"

6/12

189"

**91**"

73"

128"

57.5"

92.12"

114.5"

6"

20%

**AUTO** 

2 FWD / 1 RVS








## **FACTORY INSTALLED OPTIONS\***

SIDE SHIFTER SIDE SHIFT FORK POSITIONER SIDE SHIFT FORK POSITIONER w/WIDE CARRIAGE DUAL DRIVE WIDE CARRIAGE DUAL DRIVE WIDE CARRIAGE FULL SUSPENSION SEAT CAB W/HEAT, WIPERS, LED LIGHTS AIR CONDITIONING FIRE EXTINGUISHER STROBE LIGHT REAR WORK LIGHT REAR WORK LIGHT ATH VALVE, LEVER AND HOSING REAR HORN HANDLE/BUTTON EATON STEERING



EXTENDED WARRANTIES AVAILABLE INQUIRE WITH YOUR REPRESENTATIVE FOR FURTHER DETAILS





