


## **STANDARD FEATURES**


- 5,000lb Base Capacity
- 3 Stage Mast
- Full Free Lift
- 84" Lowered Mast Height
- 189" Max Raised Fork Height
- Premium Traction Cushion tires
- EPA Tier 4 Final Kubota 2.5L LPG Engine
- Engine Features 4cyl 61 HP @1600 RPM and 126 ft/lb TQ @1800 RPM
- Backup Alarm
- Rear View Mirrors
- LED Front and Rear Lights
- Integrated LED Turn Signals
- Tilt Steering Column
- Twin USB Power Ports for Electric personal or Business Devices
- Digital Systems Monitor Display
- Rubber Floor mat
- Load Backrest
- 3 Way Hydraulics Plumbed to Carriage
- 12mo/2000hr Manufacturer Warranty

2024	
	<b>FY25C</b>
SPECIFICATIONS	
POWER TYPE LPG	LPG (OPTIONAL DUAL FUEL)
BASE CAPACITY	5000 LBS
CAPACITY 24" LC @189"	3900 LBS
SERVICE WEIGHT	9041 LBS
TIRE SIZE (FRONT)	<b>21x7x15</b>
TIRE SIZE (REAR)	<b>16.25x6x11.25</b>
WHEELBASE	55.1"
MAST TILT ANGLE (F/R)	6/12
LIFT HEIGHT (3 STAGE)	189"
LOWERED HEIGHT	84"
FREE LIFT	73"
LENGTH (LESS FORKS)	95"
WIDTH	45"
HEIGHT TO OVERHEAD GUARD	<b>82</b> "
TURNING RADIUS	83"
GROUND CLEARANCE	3.14"
MAX GRADABILITY	20%
TRANSMISSION	AUTO
TRANSMISSION SPEEDS	1 FWD / 1 RVS





RASA:Right-Angle Stack Aisle a:Safety Clearance b:Length of Loading v:Turning radius(inside)



Engine model may vary







## **FACTORY INSTALLED OPTIONS\***

DUAL FUEL ENGINE SIDE SHIFTER SIDE SHIFT FORK POSITIONER FULL SUSPENSION SEAT CAB W/HEAT, WIPERS, LED LIGHTS AIR CONDITIONING DUAL AIR FILTER (N/A W/ CAB) VERTICAL EXHAUST FIRE EXTINGUISHER STROBE LIGHT REAR WORK LIGHT REAR WORK LIGHT 4TH VALVE, LEVER AND HOSING REAR HORN HANDLE/BUTTON EATON STEERING



EXTENDED WARRANTIES AVAILABLE INQUIRE WITH YOUR REPRESENTATIVE FOR FURTHER DETAILS





