2024

RIBU





- 8,000lb Base Capacity
- 3 Stage Mast
- Full Free Lift
- 92" Lowered Mast Height
- 196" Max Raised Fork Height
- Premium Air Pneumatic tires
- EPA Tier 4 Final Cummins engine
 QSF2.8L Turbo Diesel Engine
- Engine Features 3cyl 65 HP and 200 ft/lb TQ
- Backup Alarm
- Rear View Mirrors
- LED Front and Rear Lights
- Integrated LED Turn Signals
- Tilt Steering Column
- Pre Air Cleaner
- Digital Systems Monitor Display
- Power Lifting Overhead Guard for Ease of Maintenance
- Rubber Floor mat
- Load Backrest
- 3 Way Hydraulics Plumbed to Carriage
- 12mo/2000hr Manufacturer Warranty
- 1 Year/2000hr Cummins Engine Warranty

KTB

SPECIFICATIONS

POWER TYPE

BASE CAPACITY

CAPACITY 24" LC @189"

SERVICE WEIGHT

TIRE SIZE (FRONT)

TIRE SIZE (REAR)

WHEELBASE

MAST TILT ANGLE (F/R)

LIFT HEIGHT (3 STAGE)

LOWERED HEIGHT

FREE LIFT

LENGTH (LESS FORKS)

WIDTH

HEIGHT TO OVERHEAD GUARD

TURNING RADIUS

GROUND CLEARANCE

MAX GRADABILITY

TRANSMISSION

TRANSMISSION SPEEDS

DIESEL **8000 LBS 5000 LBS** 15190 LBS 405/70-20-14PR 10.0/75-15.3-12PR

78.3"

10/12

196"

92"

73"

128"

72.25"

89"


173"

10.6"

30%


AUTO

3 FWD / 2 RVS



RASA:Right-Angle Stack Aisle a:Safety Clearance b:Length of Loading

v:Turning radius(inside)





CLICK FOR ENGINE BROCHURE







2024 RT80

PICK YOUR COLOR!

ORANGE

RED

GREEN

ACID GREEN

SKY BLUE

ROYAL BLUE

SILVER

FROST GREY

FACTORY INSTALLED OPTIONS*

SIDE SHIFTER

SIDE SHIFT FORK POSITIONER

FULL SUSPENSION SEAT

CAB W/HEAT, WIPERS, LED LIGHTS

AIR CONDITIONING

FIRE EXTINGUISHER

STROBE LIGHT

REAR WORK LIGHT

4TH VALVE, LEVER AND HOSING

REAR HORN HANDLE/BUTTON

EATON STEERING













OIL FILTER

GENUINE PART



GENUINE PART



NUINE PARTS